



education

Lefapha la Thuto la Bokone Bophirima
Noordwes Departement van Onderwys
North West Department of Education
NORTH WEST PROVINCE

**NATIONAL SENIOR CERTIFICATE/
NASIONALE SENIOR SERTIFIKAAT**

GRADE/GRAAD 12

**PHYSICAL SCIENCES: PHYSICS (P1)
FISIESE WETENSKAPPE: FISIKA (V1)**

SEPTEMBER 2021

MARKING GUIDELINES/NASIENRIGLYNE

MARKS/ PUNTE: 150

These marking guidelines consist of 17 pages including 2 pages with the cognitive grid./ Hierdie nasienriglyne bestaan uit 17 bladsye nwat 2 bladsye met die kognitiewe tabel insluit.

QUESTION 1/VRAAG 1

1.1	D	✓✓	(2)
1.2	C	✓✓	(2)
1.3	A	✓✓	(2)
1.4	C	✓✓	(2)
1.5	B	✓✓	(2)
1.6	C	✓✓	(2)
1.7	D	✓✓	(2)
1.8	C	✓✓	(2)
1.9	B	✓✓	(2)
1.10	D	✓✓	(2)
			[20]

QUESTION 2 /VRAAG 2


2.1.1 The force or the component of a force which a surface exerts on an object with which it is in contact, and which is perpendicular to the surface. ✓✓

/Die krag of die komponent van die krag wat 'n voorwerp op 'n oppervlakte uitoefen waarmee dit in kontak is, en wat loodreg op die oppervlakte is.

2 or/of 0

(2)

2.1.2



Accept the following symbols	
N ✓	F_N /Normal/Normal force <i>Normaal/Normaalkrag</i>
f ✓	F_f /frictional force / <i>Wrywingskrag</i>
w ✓	F_g /mg/weight/ $F_{\text{earth on suitcase}}$ /gravitational force <i>Gewig/$F_{\text{aarde op tas}}$/gravitasiekrag</i>

(3)

2.1.3 $F_f = F_{g\parallel}$ }
 $F_f = mg \sin\theta$ } ✓ Any one / *Enige een*
 $F_f = 32 \times 9,8 \times \sin 30^\circ$ ✓
 $F_f = 156,8 \text{ N}$ ✓

(3)

2.1.4 $f_s^{\text{max}} = \mu_s N$ ✓
 $156,8 = \mu_s \times 32 \times 9,8 \cos 30^\circ$ ✓
 $\mu_s = 0,58$ ✓

(3)

2.2.1 **Marking Criteria / Nasien kriteria**

Substitution of / *Substitusie van* $\frac{mg \sin \theta}{mg \cos \theta} = \frac{5}{3} \checkmark$

- Any appropriate formula for F_{net} / *Enige aanvaarbare formule vir F_{net}* \checkmark
- All substitutions into F_{net} for 30 kg / *Alle substitusies in F_{net} vir 30 kg* \checkmark
- All substitutions into F_{net} for 50 kg / *Alle substitusies in F_{net} vir 50 kg* \checkmark
- Substitutions for 'ma' in any one of the equations / *Substitusies vir 'ma' in enige van die vergelykings* \checkmark
- Final answer / *Finale antwoord* \checkmark

Note: System approach maximum 4/6 marks

Sisteen benader maksimum 4/6 punte

Accept positive final answer: Range 332,1 N -332,3 N

Aanaar positiewe finale antwoord: Interval 332,1 N -332,3 N

OPTION 1 / OPSIE 1

$$\frac{mg \sin \theta}{mg \cos \theta} = \frac{5}{3} \checkmark \quad \text{or/of} \quad \tan \theta = \frac{y}{x} = \frac{5}{3}$$

$$\theta = 59,04^\circ$$

$$\left. \begin{array}{l} F_{\text{net}} = ma \\ T - F_{g\parallel} - F_f = ma \end{array} \right\} \text{any one / enige een } \checkmark$$

For 50 kg:

$$F_A - F_{g\parallel} - F_f - T = ma$$

$$\underline{500 - (50 \times 9,8 \times \sin 59,04^\circ) - F_{f(50)} - T} \checkmark = \underline{50 \times 2}$$

$$-T = 20,19 + F_{f(50)} \dots\dots\dots(1)$$

For 30 kg:

een \checkmark

$$\underline{T - (30 \times 9,8 \times \sin 59,04^\circ) - F_{f(30)}} \checkmark = \underline{30 \times 2}$$

$$T = 312,11 + F_{f(30)} \dots\dots\dots(2)$$

combine equations (1) and (2) / *kombineer vergelykings (1) en (2)*

$$0 = 312,11 + F_{f(30)} + 20,19 + F_{f(50)}$$

$$F_{f(30)} + F_{f(50)} = -332,3 \text{ N}$$

Total frictional force/ *Totale weerstandskrag* = -332,3 N \checkmark

OPTION 2 / OPSIE 2

$$\frac{mg \sin \theta}{mg \cos \theta} = \frac{5}{3} \checkmark$$

$$\theta = 59,04^\circ$$

$$\left. \begin{array}{l} F_{\text{net}} = ma \\ T - F_{g\parallel} - F_{f(30)} = ma \end{array} \right\} \text{Any one / enige een } \checkmark$$

For the 50 kg:

$$F_A - F_{g\parallel} - F_f - T = ma$$

$$\underline{500 - (50 \times 9,8 \times \sin 59,04^\circ) - F_{f(50)} - T} \checkmark = \underline{50 \times 2}$$

$$-T = 20,19 + F_{f(50)} \dots\dots\dots(1)$$

For the 30 kg:

$$\underline{T - (30 \times 9,8 \times \sin 59,04^\circ) - 3/5 F_{f(50)}} \checkmark = \underline{30 \times 2}$$

$$T = 312,11 + 3/5 F_{f(50)} \dots\dots\dots(2)$$

combine equations (1) and (2)

$$0 = 312,11 + 3/5 F_{f(50)} + 20,19 + F_{f(50)}$$

$$8/5 F_{f(50)} = -332,3 \text{ N}$$

$$(F_f)_{50} = -207,69 \text{ N}$$

Total frictional force = -332,3 N / *Totale weerstandskrag* = -332,3 N \checkmark

(6)

OPTION 3 / OPSIE 3**System approach / Sisteem benadering**

$$\frac{mg \sin \theta}{mg \cos \theta} = \frac{5}{3} \checkmark$$

$$\theta = 59,04^\circ$$

$$F_{\text{net}} = ma \quad \left. \begin{array}{l} \\ \\ \end{array} \right\} \text{Any one } \checkmark$$

$$T - F_{g\parallel} - F_{f(80)} = ma$$

$$500 - (80)(9,8)(\sin 59,04) - F_{f(80)} \checkmark = (80)(2) \checkmark$$

$$500 - 672,3 - F_{f(80)} = 160$$

$$F_{f(80)} = -332,3 \text{ N}$$

Maximum marks/ Maksimum punte 4/6**2.2.2 POSITIVE MARKING FROM QUESTION 2.2.1 /****POSITIEWE NASIEN VANAF 2.2.1**

$$F_{f(\text{Tot})} = 332,3 \text{ N}$$

OPTION 1 / OPSIE 1

$$F_{f(50)} = \left(\frac{5}{8}\right) - 332,3 \text{ N}$$

$$F_{f(50)} = -207,69 \text{ N}$$

Substitute in equation (1)

Substitusie in vergelyking (1)

$$-T = 20,19 + F_{f(50)}$$

$$-T = 20,19 + -207,69 \checkmark$$

$$T = 187,5 \text{ N } \checkmark$$

OPTION 2 / OPSIE 2

$$F_{f(30)} = \left(\frac{3}{8}\right) - 332,3 \text{ N}$$

$$F_{f(30)} = -124,613 \text{ N}$$

Substitute in equation (2)

Substitusie in vergelyking (2)

$$T = 312,11 + 3/5 F_{f(30)}$$

$$T = 312,11 + -124,613 \checkmark$$

$$T = 187,5 \text{ N } \checkmark$$

(2)
[19]**QUESTION 3/ VRAAG 3**

3.1 Motion during which the only force acting on an object is the force of gravity.
Beweging waar die enigste krag wat op die voorwerp inwerk gravitadsiekrag is. ✓✓ 2 or/of 0 marks (2)

3.2 5 m·s⁻¹ upwards / opwaarts ✓ (1)

3.3 Marking Criteria / Nasien kriteria

- Any appropriate formula / *Enige aanvaarbare formule* ✓
- All substitutions to calculate the value of Δy / *Alle substitusies om die waarde van Δy te bereken* ✓
- Addition of $60 + \Delta y$ / *Som van $60 + \Delta y$* ✓
- Final answer / *Finale antwoord* ✓

UPWARDS AS POSITIVE / OPWAARTS AS POSITIEF**OPTION 1 / OPSIE 1**

$$v_f^2 = v_i^2 + 2a\Delta y \quad \checkmark$$

$$(0)^2 = 5^2 + 2(-9,8)\Delta y \quad \checkmark$$

$$\Delta y = 1,28 \text{ m}$$

The ball will reach a maximum height of $(60 + 1,28) \checkmark = 61,28 \text{ m} \checkmark$ above the ground

/Die bal sal `n maksimum hoogte van $(60 + 1,28) = 61,28 \text{ m}$ bo die grond bereik

DOWNWARDS AS POSITIVE / AFWAARTS AS POSITIEF

$$v_f^2 = v_i^2 + 2a\Delta y \quad \checkmark$$

$$(0)^2 = -5^2 + 2(9,8)\Delta y \quad \checkmark$$

$$\Delta y = -1,28 \text{ m} \checkmark$$

$$\text{Height} = 1,28 \text{ m}$$

The ball will reach a maximum height of $(60 + 1,28) \checkmark = 61,28 \text{ m} \checkmark$ above the ground

/Die bal sal `n maksimum hoogte van $(60 + 1,28) = 61,28 \text{ m}$ bo die grond bereik

OPTION 2 / OPSIE 2

$$v_f = v_i + a\Delta t$$

$$0 = 5 + (-9,8)\Delta t$$

$$\Delta t = 0,51 \text{ s}$$

$$\Delta y = \left(\frac{v_i + v_f}{2} \right) \Delta t$$

$$\left(\frac{5 + 0}{2} \right) 0,51 \checkmark$$

$$= 1,28 \text{ m}$$

The ball will reach a maximum height of $(60 + 1,28) \checkmark = 61,28 \text{ m} \checkmark$ above the ground

Die bal sal `n maksimum hoogte van $(60 + 1,28) = 61,28 \text{ m}$ bo die grond bereik

Any one / Enige een \checkmark

OPTION 3 / OPSIE 3

$$v_f = v_i + a\Delta t$$

$$0 = 5 + (-9,8)\Delta t$$

$$\Delta t = 0,51 \text{ s}$$

$$\Delta y = v_i\Delta t + \frac{1}{2} a\Delta t^2$$

$$\Delta y = 5 \times 0,51 + \frac{1}{2} (-9,8 \times 0,51^2) \checkmark$$

$$= 1,28 \text{ m}$$

The ball will reach a maximum height of $(60 + 1,28) = 61,28 \text{ m} \checkmark$ above the ground

Die bal sal `n maksimum hoogte van $(60 + 1,28) = 61,28 \text{ m}$ bo die grond bereik

(4)

3.4 OPTION 1 / OPSIE 1

The hot- air balloon moved upwards at a constant velocity.

/Die warmlugballon het opwaarts beweeg teen 'n konstante snelheid.

$$\Delta y = v_i \Delta t + \frac{1}{2} a \Delta t^2 \quad \checkmark$$

$$\Delta y = (5)(3) + 0 \quad \checkmark$$

$$\Delta y = 15 \text{ m}$$

After 3 s the hot- air balloon will be 15 m above the starting point.

/Na 3 s sal die warmlugballon 15 m bo die beginpunt wees.

The distance travelled by the ball after 3s / *Afstand deur bal beweeg na 3s.*

$$\Delta y = v_i \Delta t + \frac{1}{2} a \Delta t^2$$

$$\Delta y = (5)(3) + \frac{1}{2} (-9,8) (3)^2 \quad \checkmark$$

$$\Delta y = -29,1 \text{ m} \quad \checkmark$$

The ball is 29,1 m below the point from where it was released.

After 3 s the hot air balloon and the ball will be (15 + 29,1) $\checkmark = 44,1 \text{ m}$ \checkmark apart

/ Die bal is 29,1 m onder die punt vanwaar dit laat val is. Na 3s sal die bal en die warmlugballon (15 + 29,1) = 44,1 m van mekaar wees.

OPTION 2 / OPSIE 2

$$V_{\text{ave}} = \frac{\Delta y}{\Delta t} \quad \checkmark$$

$$\Delta y = (5)(3) \quad \checkmark$$

$$15 \text{ m}$$

$$v_f = v_i + a \Delta t$$

$$= 5 + (-9,8)(3)$$

$$= -24,4 \text{ m} \cdot \text{s}^{-1}$$

$$\Delta y = \left(\frac{v_i + v_f}{2} \right) \Delta t$$

$$= \left(\frac{-24,4 + 5}{2} \right) (3) \quad \checkmark$$

$$= -29,1 \text{ m} \quad \checkmark$$

The ball is 29,1 m below the point from where it was released.

After 3 s the hot air balloon and the ball will be (15 + 29,1) $\checkmark = 44,1 \text{ m}$ \checkmark apart

/ Die bal is 29,1 m onder die punt vanwaar dit laat val is. Na 3s sal die bal en die warmlugballon (15 + 29,1) = 44,1 m van mekaar wees.

(6)

3.5 ANY ONE

Some of the ball's kinetic energy is converted into heat and sound energy.

/ Sommige van die energie van die bal word omgeskakel in hitte en klank energie. $\checkmark \checkmark$

OR/OF

The collision between the ball and the ground is inelastic. $\checkmark \checkmark$

/ Die botsing tussen die bal en die grond is onelasties

(2)

[15]

QUESTION 4 / VRAAG 4

- 4.1 The total linear momentum of an isolated system is conserved both in magnitude and direction ✓✓ (2)

Die totale liniêre momentum van 'n geslote sisteem bly behoue in grootte en rigting. (2 or/of 0)

- 4.2 $\Sigma P_{\text{before}} = \Sigma P_{\text{after}}$ ✓
 $(15)(V_R) + 0 = (15 + 13,5)(4,4)$ ✓
 $V_R = 8,36 \text{ m}\cdot\text{s}^{-1}$ ✓ (3)

- | | |
|---|---|
| <p>4.3 <u>OPTION 1 / OPSIE 1</u>
 $v_f = v_i + a\Delta t$ ✓
 $0 = 4,4 + (a)(3)$ ✓
 $a = -1,47 \text{ m}\cdot\text{s}^{-2}$
 $F_f = F_{\text{net}} = ma$
 $F_f = (15 + 13,5)(-1,47)$ ✓
 $F_f = 41,9 \text{ N}$ ✓
 Accept – 41,9 N</p> | <p><u>OPTION 2 / OPSIE 2</u>
 $F_{\text{net}} \Delta t = \Delta P = m(v_f - v_i)$ ✓
 $F_{\text{net}}(3) = 28,5(0 - 4,4)$ ✓
 $F_{\text{net}} = F_f$
 $F_{\text{net}} = -41,8 \text{ N}$
 $F_f = 41,8 \text{ N}$ ✓
 Accept – 41,8 N</p> |
|---|---|

[9]**QUESTION 5 / VRAAG 5**

- 5.1 The net/total work done on an object is equal to the change in the object's kinetic energy. ✓✓


/ Die netto werk verrig op 'n voorwerp is gelyk aan sy verandering in kinetiese energie.

OR

The work done on an object by a resultant/net force is equal to the change in the objects kinetic energy. ✓✓

/ Die werk verrig op 'n voorwerp deur 'n netto/resultante krag is gelyk aan sy verandering in kinetiese energie. (2)

5.2



Accept the following symbols / Aanvaar die volgende simbole	
F_A ✓	Applied Force /Force by engine/ <i>Toegepaste krag/krag van engin</i>
N ✓	F_N /Normal/Normal force / Normaal / <i>Normaalkrag</i>
f ✓	F_f /frictional force / <i>Wrywingskrag</i>
w ✓	F_g /mg/weight/ $F_{\text{earth on car}}$ /gravitational force <i>Gewig/$F_{\text{aarde op tas}}$/gravitasiekrag</i>

(4)

5.3 **OPTION 1 / OPSIE 1**

Marking Criteria for Option 1

- Any appropriate formula / *Enige aanvaarbare formule* ✓
- Substitution of 0,1 in equation of w_{net} ✓ / *Substitusie van 0,1 in vergelyking van w_{net}* ✓
- All substitutions to calculate w_{net} ✓ / *Alle substitusies om w_{net} te bereken* ✓
- Substituting $w_{\text{net}} = 0$ ✓ / *Vervanging van $w_{\text{net}} = 0$* ✓
- Calculation of the power required ✓ / *Berekenig van die drywing benodig* ✓
- Calculation of the power of the engine ✓ / *Berekening van die drywing van die motor* ✓
- Stating the car has enough power ✓ / *Staat dat die motor genoeg drywing het* ✓

$W_{\text{net}} = \Delta K$

$W_{g\parallel} + W_{Ff} + W_{FA} = \Delta K$

$mg \sin\theta \Delta x \cos\theta + F_f \Delta x \cos\theta + F_A \Delta x \cos\theta = \Delta K$

} Any one / *Enige een* ✓

$W_{\text{net}} = \frac{(1200)(9,8)(0,1) + (100)(\cos 180^\circ) + (820)(100)(\cos 180^\circ) + F_A(100)(\cos 0^\circ)}{1000} = 0$ ✓

$F_A = 1996 \text{ N upward / opwaarts}$

Power = $F_A v$

$P_{\text{required}} = (1996)(6)$ ✓

$= 11976 \text{ W}$

$= 11,976 \text{ kW}$

Accept range P/ *Aanvaar interval van = 11,972 kW to 11,977 kW*

Real power of the engine / *Werklike drywing van die motor* = $(62)\left(\frac{83}{100}\right)$ ✓

$P_{\text{Engine}} = 51,460 \text{ kW}$

$\sin\theta = 10/100$ $\sin\theta = 0,1$ $F_{\text{net}} = F_{g\parallel} + F_f + F_A$ $F_{g\parallel} = mg \sin\theta$
--

or

$$P_{\text{Engine}} = 51460 \text{ W}$$

$P_{\text{Engine}} > P_{\text{required}}$ The car has enough power ✓ / Die motor het genoegsame drywing

OPTION 2

Marking Criteria for Option 1

- Any appropriate formula ✓
- Substitution of 0,1 in equation of ΔK ✓
- All substitutions to calculate ΔK ✓
- Substituting $\Delta K = 0$ ✓
- Calculation of the power required ✓
- Calculation of the power of the engine ✓
- Stating the car has enough power ✓
- *Enige aanvaarbare formule* ✓
- *Substitusie van 0,1 in vergelyking ΔK* ✓
- *Alle substitusies om ΔK te bereken* ✓
- *Vervanging van $\Delta K = 0$* ✓
- *Berekenig van die drywing benodig* ✓
- *Berekening van die drywing van die motor* ✓
- *Staat dat die motor genoeg drywing het* ✓

$$W_{\text{net}} = \Delta K$$

$$W_{\text{gl}} + W_{\text{Ff}} + W_{\text{FA}} = \Delta K$$

$$mg \sin\theta \Delta x \cos\theta + F_f \Delta x \cos\theta + W_{\text{FA}} = \Delta K$$

$$(1200)(9,8)(0,1) \checkmark + (100)(\cos 180^\circ) + (820)(100)(\cos 180^\circ) + W_{\text{FA}} \checkmark = 0 \checkmark$$

$$W_{\text{FA}} = 199600 \text{ J}$$

$$v = \frac{\Delta x}{\Delta t}$$

$$6 = \frac{100}{\Delta t}$$

$$\Delta t = 16,67 \text{ s}$$

$$P = \frac{W}{\Delta t}$$

$$P_{\text{required}} = \frac{199600}{16,67} \checkmark$$

$$P = 11973,61 \text{ W}$$

Accept range $P = 11972 \text{ W} - 11977 \text{ W}$

Aanvaarbare interval $P = 11972 \text{ W} - 11977 \text{ W}$

$$P_{\text{required}} = 11,974 \text{ kW}$$

Real power of the engine/*Werklike drywing van motor* = $(62000) \left(\frac{83}{100} \right) \checkmark$

$$P_{\text{Engine}} = 51460 \text{ W}$$

$$P_{\text{Engine}} = 51,460 \text{ kW}$$

$$P_{\text{Engine}} > P_{\text{required}}$$

The car has enough power

/Die motor het genoeg drywing✓

(7)

[13]**QUESTION 6 / VRAAG 6**

6.1 The change in frequency (or pitch) ✓ of the sound detected by a listener because the sound source and the listener have different velocities relative to the medium of sound propagation. ✓

/ Die verandering in die frekwensie (toonhoogte) van die waargenome klank deur die luisteraar agv die klankbron en die luisteraar wat verskillende snelhede reëltief tot mekaar het.

(2)

6.2	OPTION 1 / OPSIE 1	OPTION 2 / OPSIE 2
	$f_L = \frac{v \pm v_L}{v \pm v_s} f_s \quad \checkmark$	$f_L = \frac{v \pm v_L}{v \pm v_s} f_s \quad \checkmark$
	$910 \checkmark = \frac{(340 + v_L) 850 \checkmark}{(340 - 0) \checkmark}$	$790 \checkmark = \frac{(340 - v_L) 850 \checkmark}{(340 + 0) \checkmark}$
	$v_L = 24 \text{ m} \cdot \text{s}^{-1} \checkmark$	$v_L = 24 \text{ m} \cdot \text{s}^{-1} \checkmark$

(5)

6.3	OPTION 1 / OPSIE 1	OPTION 2 / OPSIE 2
	$\Delta x = v_i \Delta t + \frac{1}{2} a \Delta t^2 \checkmark$	$\Delta x = v \Delta t \checkmark$
	$\Delta x = (24)(6) + \frac{1}{2} \times 0 \times 6^2 \checkmark$	$\Delta x = 24 \times 6 \checkmark$
	$\Delta x = 144 \text{ m} \checkmark$	$\Delta x = 144 \text{ m} \checkmark$

(3)

[10]**QUESTION 7 / VRAAG 7**

7.1.1 The magnitude of the electrostatic force exerted by one point charge (Q_1) on another point charge (Q_2) is directly proportional to the product of the magnitudes of their charges ✓ and inversely proportional to the square of the distance (r) between them ✓

/ Die grootte van die elektrostatische krag wat deur een puntlading (Q_1) op 'n ander puntlading (Q_2) uitgeoefen word, is direk eweredig aan die produk van die groottes van die ladings en omgekeerd eweredig aan die kwadraat van die afstand (r) tussen hulle

(2)

<p>7.1.2</p>	<p><u>OPTION 1</u> <u>Before contact/Voor kontak</u> $F = \frac{kQ_1Q_2}{r^2} \quad \checkmark$ $F = \frac{k(q)(3q)}{d^2} \quad \checkmark$ $F = 3 \frac{kq^2}{d^2}$ <u>After contact/Na kontak</u> New Charge $q_{\text{new}} = \frac{Q_1 + Q_2}{2}$ $= \frac{-q + 3q}{2} \quad \checkmark$ $= q$ $F_{\text{new}} = \frac{kq^2}{d^2}$ $= \frac{kq^2}{d^2} \quad \checkmark$ $F_{\text{new}} = \frac{F}{3} \quad \checkmark$</p>	<p><u>OPTION 2</u> $F = \frac{kQ_1Q_2}{r^2} \quad \checkmark$ $F = \frac{kq \times 3q}{d^2} \quad \checkmark$ $= \frac{3kq^2}{d^2} \quad \checkmark$ $F_{\text{new}} = \frac{kQ_1Q_2}{r^2}$ $= \frac{kq^2}{d^2} \quad \checkmark$ $F_{\text{new}} = \frac{F}{3} \quad \checkmark$</p>	<p>(5)</p>
--------------	--	---	------------

7.2.1

$$E = \frac{kQ}{r^2} \quad \checkmark$$

'E' at 'X' due to Q_1

$$E = \frac{(9,0 \times 10^9)(6 \times 10^{-9})}{2^2} \quad \checkmark$$

=13,5 N·C⁻¹ to the left/na links

'E' at x due to Q_2

$$E = \frac{kQ}{r^2}$$

$$E = \frac{(9,0 \times 10^9)(8 \times 10^{-9})}{1^2} \quad \checkmark$$

=72,0 N·C⁻¹ to the right/na regs

Net electric field at X / Netto elektrieseveld by X = 72,0 - 13,5 = 58,5 N·C⁻¹


✓

(4)

[11]

QUESTION 8 / VRAAG 8

8.1

**Guideline for allocating marks/Riglyne vir toekenning van punte**

Arrows point outwards

Pyle uitwaarts gerig

Correct shape

Korrekte vorm

(2)

8.2

$$E = F/Q \checkmark$$

$$E = (3,23 \times 10^{-5}) / (4,8 \times 10^{-9}) \checkmark$$

$$E = 6729,17 \text{ N.C}^{-1} \checkmark$$

(3)

8.3

OPTION 1 OPSIE 1

$$F = \frac{kQ_1Q_2}{r^2} \checkmark$$

$$3,23 \times 10^{-5} = \frac{9 \times 10^9 \times 4,8 \times 10^{-9} \times 4,8 \times 10^{-9}}{r^2} \checkmark$$

$$r = 0,08 \text{ m} \checkmark$$

OPTION 2: POSITIVE MARKING FROM QUESTION 8.2**OPSIE 2: POSITIEWE NASIEN VANAF VRAAG 8.2**

$$E = \frac{kQ}{r^2} \checkmark$$

$$6729,17 = \frac{9 \times 10^9 \times 4,8 \times 10^{-9}}{r^2} \checkmark$$

$$r = 0,08 \text{ m} \checkmark$$

(3)

[8]**QUESTION 9 / VRAAG 9**

9.1.1

$$V = IR_T \checkmark$$

$$14 = 1,4 \times R_T \checkmark$$

$$R_T = 10 \Omega \checkmark$$

(3)

9.1.2

POSITIVE MARKING FROM QUESTION 9.1.1**POSITIEWE NASIEN VANAF VRAAG 9.1.1**

$$R_T = (R_{\text{ext}} + r) \checkmark$$

$$10 = (6 + 3,6) + (r) \checkmark$$

$$r = 0,4 \Omega \checkmark$$

(3)

9.1.3 $W = I^2 R \Delta t$ ✓
 $W = 1,4^2 \times 6 \times 3 \times 60$ ✓
 $= 2116,8 \text{ J}$ ✓ (3)

<p>9.2</p> $\frac{1}{R_p} = \frac{1}{R_1} + \frac{1}{R_2} + \dots$ $\frac{1}{R_p} = \frac{1}{8} + \frac{1}{6}$ ✓ $R_p = 3,43 \Omega$ $\text{emf } (\varepsilon) = I(R + r)$ ✓ / $\text{emk } (\varepsilon) = I(R + r)$ $14 = I(3,43 + 3,6 + 0,4)$ ✓ $I = 1,88 \text{ A}$		<p>OPTION 1</p> $V = IR$ $V_p = 1,88 \times 3,43$ ✓ $= 6,46 \text{ V}$ $I_{8\Omega} = \frac{6,45}{8}$ ✓ $= 0,81 \text{ A}$ ✓ <p>OPTION 2</p> $I_{8\Omega} = \frac{6 \times 1,88}{14}$ ✓ $= 0,81 \text{ A}$ ✓ (6)
--	--	--

9.3 Increases ✓ / energy transfer from the battery increases. ✓
Toeneem ✓ / energie oorgedra van die battery neem toe. ✓
OR / OF
 External resistance decreases because the parallel combination is eliminated by the short circuit.
Die eksterne weerstand neem af omdat die paralelle kombinasie uitgesluit word deur die kortsluiting. (2)
[17]

QUESTION 10 / VRAAG 10

10.1.1 AC generator / WS generator ✓ (1)

10.1.2 Q- Carbon brush / Koolstofborseltjies ✓
 R- Slip ring / Slepring ✓ (2)

10.2.1 Graph A represents direct current. ✓
Grafiek A verteenwoordig gelykstroom
 Graph B represents alternating current. ✓
Grafiek B verteenwoordig wisselstroom (2)

10.2.2 $f = \frac{\text{no of ocillations}}{\text{time}} / \frac{\text{aantal ossilasies}}{\text{tyd}}$
 $= 1,5 / 0,03$ ✓
 $= 50 \text{ Hz}$ ✓ (2)

10.3.1 $V_{\text{rms}} = \frac{V_{\text{max}}}{\sqrt{2}}$ ✓
 $200 = \frac{V_{\text{max}}}{\sqrt{2}}$ ✓
 $V_{\text{max}} = 282,84 \text{ V}$ ✓ (3)

10.3.2 $V_{\text{rms}} = I_{\text{rms}} \times R$ ✓
 $200 = I_{\text{rms}} \times 10$ ✓
 $I_{\text{rms}} = 20 \text{ A}$ ✓ (3)

10.3.3 **OPTION 1 / OPSIE 1**

$$\begin{aligned} P_{\text{ave}} &= I_{\text{rms}} V_{\text{rms}} \checkmark \\ &= 20 \times 200 \checkmark \\ &= 4000 \text{ W} \checkmark \end{aligned}$$

OPTION 2 / OPSIE 2

$$\begin{aligned} P_{\text{ave}} &= \frac{V_{\text{rms}}^2}{R} \checkmark \\ &= \frac{200^2}{10} \checkmark \\ &= 4000 \text{ W} \checkmark \end{aligned}$$

OPTION 3 / OPSIE 3

$$\begin{aligned} P_{\text{ave}} &= I_{\text{rms}}^2 R \checkmark \\ &= (20)^2 (10) \checkmark \\ &= 4000 \text{ W} \checkmark \end{aligned}$$

(3)

[16]**QUESTION 11 / VRAAG 11**

11.1 The work function of a metal is the minimum energy that an electron needs to be emitted from the metal surface $\checkmark\checkmark$ **2 or 0/**

Die werksfunksie van 'n metaal is die minimum hoeveelheid energie benodig om elektrone uit die oppervlakte van die metaal vry te stel

$\checkmark\checkmark$ **2 or 0**

(2)

11.2.1 $c = f\lambda$

$$3 \times 10^8 = f (200 \times 10^{-9}) \checkmark$$

$$f = 1,5 \times 10^{15} \text{ Hz} \checkmark$$

(2)

11.2.2 $W_0 = hf_0 \checkmark$

$$2,3 \times 10^{-19} = 6,63 \times 10^{-34} \times f_0 \checkmark$$

$$f_0 = 3,47 \times 10^{14} \text{ Hz} \checkmark$$

(3)

11.2.3 **POSITIVE MARKING FROM QUESTION 11.2.1 / POSITIEWE NASEIN VANAF 11.2.1**

$$E = W_0 + E_{k(\text{max})} \checkmark$$

$$\underline{(6,63 \times 10^{-34}) (1,5 \times 10^{15}) \checkmark} = \underline{(2,3 \times 10^{-19}) + E_k \checkmark}$$

$$E_k = 7,65 \times 10^{-19} \text{ J} \checkmark$$

(4)

11.3 Decrease/*Verminder* \checkmark

(1)

[12]**TOTAL/TOTAAL: 150**

GRADE 12: PHYSICAL SCIENCES P1

ANALYSIS GRID

SEPTEMBER: 2021

	Content	Knowledge, Recall, Low demand			Comprehension, Basic questions			Application, Analysis, Problem solving			Synthesis, Evaluation, Higher abilities, Hard new problems			TOTAL	Mechanics ≈ 63 Marks	Waves, Sound & Light ≈ 17 Marks	Electricity & Magnetism ≈ 55 Marks	Matter & Materials ≈ 15 Marks	Total Marks	Question Total
		E	M	D	E	M	D	E	M	D	E	M	D							
1.1	Friction				2									2	2				2	
1.2	Energy		2											2	2				2	
1.3	Mechanical Energy	2												2	2				2	
1.4	Net force					2								2	2				2	
1.5	Net charge							2						2		2			2	
1.6	Power											2		2			2		2	
1.7	emf	2												2			2		2	
1.8	Motor				2									2			2		2	
1.9	Red shift					2								2	2				2	
1.10	Work function					2								2				2	2	20
2.1.1	Normal force	2												2	2				2	
2.1.2	Free body diagram				3									3	3				3	
2.1.3	Force of friction							3						3	3				3	
2.1.4	Static friction								3					3	3				3	
2.2.1	Frictional force											6		6	6				6	
2.2.2	Tension					2								2	2				2	19
3.1	Free fall	2												2	2				2	
3.2	Velocity					1								2	1				1	
3.3	Maximum height								4					1	4				4	
3.4	Vertical projectile									6				4	6				6	
3.5	Displacement					2								6	2				2	15
4.1	Momentum	2												2	2				2	
4.2	Velocity								3					3	3				3	
4.3	Force of friction								4					4	4				4	9
5.1	Work-energy theorem		2											2	2				2	
5.2	Free body diagram					4								4	4				4	
5.3	Power											7		7	7				7	13
6.1	Doppler effect		2											2		2			2	
6.2	Speed						5							5		5			5	
6.3	Distance								3					3		3			3	10
7.1	Coulomb, s law	2												2			2		2	

7.2	Electrostatic force									5				5			5		5	
7.3	Electric field strength									4				4			4		4	11
8.1	Electric field pattern				2									2			2		2	
8.2	Electric field strength									3				3			3		3	
8.3	Distance									3				3			3		3	8
9.1.1	Resistance									3				3			3		3	
9.1.2	Internal resistance									3				3			3		3	
9.1.3	Energy									3				3			3		3	
9.2	Current									6				6			6		6	
9.3	Resistance				2									2			2		2	17
10.1.1	Generator	1												1			1		1	
10.1.2	Generator		2											2			2		2	
10.2.1	Type of current				2									2			2		2	
10.2.2	Frequency				2									2			2		2	
10.3.1	Peak voltage									3				3			3		3	
10.3.2	rms current									3				3			3		3	
10.3.3	Power									3				3			3		3	16
11.1	Work function	2												2			2		2	
11.2.1	Frequency									2				2			2		2	
11.2.2	Threshold frequency									3				3			3		3	
11.2.3	Kinetic energy									4				4			4		4	
11.3	Intensity									1				1			1		1	12
		15	8	0	9	21	12	19	29	22	0	0	15	150	66	12	58	14	150	150
Actual marks		23				42				70			15		64	15	57	14	150	
Actual %		15,3				28,0				46,7			10,0		43	10	38	9	100	
Prescribed Marks		22,5				52,5				60			15	150	63	17	55	15	150	
Prescribed %		15				35				40			10	100	42	11	36,6	10	100	

Overall	E	M	D
Prescribed Marks	45	60	45
Actual Marks	43	58	49
Prescribed %	30	40	30
Actual %	29	39	33